

# NEW SOLUTIONS FOR **CONNECTING, (RE)CHARGING, ORGANISING**



→ [CATALOGUE PAGES INSIDE](#)



**GLOBAL SPECIALIST** IN ELECTRICAL AND DIGITAL  
BUILDING INFRASTRUCTURES





# CONNECT EVERYTHING SIMPLY



FOR YOUR DAY-TO-DAY NEEDS





**FRONT-ACCESS DOUBLE ADAPTER AND TRIPLE ADAPTER**



With double and triple adapters, you've always got a spare socket to plug your devices into.

⊕ The socket orientation makes it easy to plug in your devices.



**CHARACTERISTICS**

2 to 3 2P+E sockets

White/Light grey  
Black/Dark grey

**SIDE-ACCESS TRIPLE ADAPTER**



The side-access triple adapter is the ideal solution for plugging in devices in tight spaces.

**CHARACTERISTICS**

3 2P+E sockets

White/Dark grey  
Aluminium/Dark grey

**ROTATING TRIPLE ADAPTER**



You have 2 sockets accessible at any time and can also charge your USB Type-A and USB Type-C standard devices, such as smartphones or tablets.

⊕ Thanks to its rotating body, the rotating triple adapter is easy to use on a daily basis.



**CHARACTERISTICS**

2 2P+E sockets

USB Type-A  
USB Type-C

180° Rotating body

White/Dark grey  
Aluminium/Dark grey

**DOUBLE ADAPTER WITH EXTRA-SLIM USB CHARGER**



You have two 2P socket outlets underneath and USB type-A and USB Type-C socket outlets for charging your devices.

⊕ It also has a stand for a smartphone and a storage system for the end of the cord.



**CHARACTERISTICS**

2 x 2P sockets

USB Type-A  
USB Type-C

White/Dark grey

> Go to selection chart on p. 20

# CONNECT EVERYTHING SIMPLY



## Create multiple socket outlets

Efficient day-to-day solutions for all your interior connections.



A high-quality minimalist design. Legrand multi-outlet extension have an attractive rounded shape.




The multi-outlet extension comes in three finishes so it can blend in seamlessly in your working environment or leisure areas.

### CHARACTERISTICS

-  3 to 6 2P+E sockets
-  Without cord 1.5 m cable 3 m cable
-  White/Light grey
-  White/Blue
-  Black/Dark grey




Optimise your connections thanks to oriented socket outlets.



> Go to selection chart on p. 20

# (RE)CHARGE, PROTECT, ORIENT




## The multi-outlet extension that delivers even more...

A design from Legrand to further simplify all types of use!




A unique ingenious cylindrical design for greater convenience. With its rotating socket block, you can orient the socket outlets to suit your needs.


You can fix the multi-outlet extension horizontally or vertically using screws or cable ties according to your preference.



Rotating multi-outlet extensions are equipped with oriented socket outlets to optimise connections and have enough space to plug in a transformer.



With the Legrand Flush socket, you have a safe, attractive socket which prevents dust from accumulating. The socket recess only moves back when a plug is inserted.



 > Go to selection chart on p. 21

# (RE)CHARGE, PROTECT, ORIENT



... with **functions**  
that meet  
all your needs

In addition to their cylindrical design and Flush sockets, you can also plug in your USB Type-A or USB Type-C mobile devices. Functions such as surge protection, load indication and a built-in circuit breaker guarantee you peace of mind regardless of the types of use.



The rotating multi-outlet extension can be used to plug in all your devices. USB Type-A and USB Type-C chargers are incorporated on the front for all your mobile devices, while allowing the sockets to still be used.



The rotating multi-outlet extension is also available in a version equipped with an surge protection with indicator to protect your devices against overvoltages.



Overload circuit breaker for protection against risks of overheating. The load indicator increases safety with its display of the power consumption. The unit is disconnected if its maximum power is exceeded. It can be reset after unplugging one or more devices.

## CHARACTERISTICS

3 to 6 2P+E  
Flush sockets

Illuminated  
ON/OFF

180° Rotating body

Without cord  
1.5 m cable  
3 m cable  
5 m cable

White/Dark grey  
Black/Dark grey

## OPTIONAL

Surge protection  
with LED indicator

USB Type-A  
USB Type-C

Load indicator

Resettable integrated  
circuit breaker

> Go to selection chart on p. 21

BEDROOM



LIVING ROOM



OFFICE



KITCHEN



# OPTIMISE EVERY AVAILABLE SPACE



DETAILS THAT MAKE A DIFFERENCE



## Multi-outlet extension at an angle


Install it wherever you want and enjoy the satisfaction of a well-organised work surface.



The angled multi-outlet extension is available in two finishes: White/Aluminium and White.



The angled multi-outlet extension is designed to fit in seamlessly on your work surface or in an office. Your work surface is always optimised.



Can be fixed horizontally or vertically, to keep your work surface clear.



The angled multi-outlet extension can be fixed with screws or double-sided tape. The cable feedthrough located at the back allows you to run the cable to the right or left to suit your needs.

### CHARACTERISTICS WHITE/ALUMINIUM VERSION

3 Flush 2P+E sockets

USB Type-A  
USB Type-C

Without cord  
1 m cable

### WHITE VERSION

4 Flush 2P+E sockets

Without cord  
1 m cable

BEDROOM




LIVING ROOM



OFFICE




KITCHEN



# EXPAND THE NUMBER OF USES ON BOTH SIDES



AN INGENUOUS DESIGN THAT'S IDEAL FOR YOUR KITCHEN



## A dual-purpose multi-outlet extension for your kitchen area

### CHARACTERISTICS

-  3 2P+E sockets
-  2 USB Type-A
-  Illuminated ON/OFF
-  Resettable integrated circuit breaker
-  White/Light grey  
Black
-  1.5 m cable


Do you love to cook and use your tablet to follow a recipe, listen to music etc? The multi-outlet extension with stand allows you to plug in all your electrical and mobile equipment, while providing an ergonomic stand for your tablet or smartphone.



The multi-outlet extension with integrated tablet stand is the ideal companion for plugging in up to three 2P+E sockets and two USB Type-A sockets while preparing delicious dishes using your tablet or smartphone.




The multi-outlet extension has an ON/OFF main switch with 16 A circuit breaker to protect your devices if its maximum power is exceeded.



⊕ The handy built-in stand has a non-slip surface. Your tablet sits firmly in place while charging or while you're following a recipe on screen.

BEDROOM




LIVING ROOM




OFFICE



KITCHEN



# STORE, ORGANISE, PROTECT



AN EXCLUSIVE DESIGN FOR SEAMLESS INTEGRATION IN THE TV AREA

## Multi-outlet extension for **the multimedia area** which fits in discreetly



The multi-outlet extension for the TV area allows you to plug in and power up to 8 devices and to organise your cables. Your multimedia area was never so well organised before! The multi-outlet extension can also protect all your multimedia equipment against lightning strikes thanks to the integrated surge protection.

### CHARACTERISTICS

- 4 2P+E sockets
- 4 2P sockets
- Illuminated ON/OFF
- Surge protection with LED indicator
- 2 m cable

Thanks to its high-quality finish and aluminium cover, the multi-outlet extension integrates seamlessly into the furniture and multimedia equipment (TV, sound bar, games console, router, DVD/Blu-ray player, etc).



The multi-outlet extension has an illuminated main switch and surge protection.



Legrand holds an exclusive patent for the Flush socket: the socket recess only moves back when a plug is inserted. This gives you a safe and attractive socket which prevents dust from accumulating.



The multi-outlet extension for the TV area allows you to organise cables discreetly under its aluminium cover.

BEDROOM



LIVING ROOM



OFFICE



KITCHEN



## Power your devices and free up your workspace

The clip-on multi-outlet extension allows you to plug in devices that are plugged in permanently and charge mobile products without clogging up your surfaces.

### CHARACTERISTICS

4 2P+E sockets

2 USB Type-A

Illuminated ON/OFF

1.5 m cable





Discreet and attractive, it allows you to plug in up to four 2P+E equipment and two USB Type-A mobile devices.

# CLIP ON, FREE UP, POWER UP



AN ELEGANT DESIGN WITH MAXIMUM DISCRETION



⊕ To adapt to any configuration, the clip-on multi-outlet extension has a cable that can rotate by 90°.



Thanks to its clip-on system, the multi-outlet extension is suitable for work surfaces up to 63 mm thick.

BEDROOM



LIVING ROOM



OFFICE




KITCHEN



# COMPACT, PRACTICAL, AT YOUR FINGERTIPS



DESIGNED WITH TECH  
ADDICTS IN MIND




Charge your smartphone efficiently without plugging in a cable thanks to its wireless charging station or using the USB type-A and USB Type-C sockets.

## Compact and convenient multi-outlet extension with its wireless charger



An ideal solution for home or office.



Place your smartphone on the non-slip angled surface, keep an eye on your messages while your smartphone charges wirelessly and in complete safety.

### CHARACTERISTICS

- 2 Flush 2P+E sockets
- USB Type-A  
USB Type-C
- 10.0 W induction charging
- Wireless charging indicator
- Illuminated ON/OFF
- 2 m cable



WHITE/DARK GREY      TAUPE/DARK GREY

The charging station comes in two finishes so it can blend in seamlessly in your working environment or leisure areas.

⊕ The shape and material of the non-slip zone ensure your smartphone is held firmly on the charging station, even while you are using it.



## Multifunction multi-outlet extensions

MULTIFUNCTION MULTI-OUTLET EXTENSIONS FOR DEDICATED SPACES											
Product	Nb of socket outlets		Cord	USB	SPD <sup>(1)</sup> / MCB <sup>(2)</sup> & indicator	Wireless charger	Colour				
	2P	2P+E					○ White	● Black	● Taupe/ Dark Grey	● White/ Dark Grey	○ White/ Alu finish
	-	2	2 m 3G 1.5 mm <sup>2</sup>	Type-A + Type-C	-	Yes	-	-	6 945 00	6 945 06	-
	-	3	-	Type-A + Type-C	-	-	-	-	-	-	6 945 04
	-	3	1 m 3G 1.5 mm <sup>2</sup>	Type-A + Type-C	-	-	-	-	-	-	6 945 02
	-	4	-	-	-	-	6 945 03	-	-	-	-
-	4	1 m 3G 1.5 mm <sup>2</sup>	-	-	-	-	6 945 01	-	-	-	-
	-	3	1.5 m 3G 1.5 mm <sup>2</sup>	2 Type-A	MCB	-	6 948 10	6 948 11	-	-	-
	4 (6 A)	4	2 m 3G 1.5 mm <sup>2</sup>	-	SPD	-	-	6 945 95	-	-	-
	4 (2.5 A)	4	2 m 3G 1.5 mm <sup>2</sup>	-	SPD	-	-	6 945 15	-	-	-
	-	4	1.5 m 3G 1.5 mm <sup>2</sup> (rotating)	2 Type-A	-	-	-	6 948 12	-	-	-

1: Surge Protection Device  
2: Miniature Circuit Breaker

## Multifunction multi-outlet extensions (continued)

MULTIFUNCTION MULTI-OUTLET EXTENSIONS							
Product	Nb of 2P+E socket outlets	Cord	USB	SPD <sup>(1)</sup> & LED indicator	MCB <sup>(2)</sup> & overload indicator	Colour	
						● White/ Dark Grey	● Black/ Dark Grey
	3	Without cord	-	-	-	6 945 43	-
		1.5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 27	6 945 28
			Type-A + Type-C	Yes	-	6 945 08	6 945 12
		3 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 35	-
5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 41	-		
	4	Without cord	-	-	-	6 945 44	6 945 45
		1.5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 29	6 945 30
			-	Yes	-	6 945 07	6 945 11
		-	-	Yes	-	6 945 25	-
3 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 36	6 945 37		
	5	Without cord	-	-	-	6 945 46	-
		1.5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 31	6 945 32
			Type-A + Type-C	Yes	-	6 945 10	6 945 14
		3 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 38	-
5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 42	-		
	6	Without cord	-	-	-	6 945 47	6 945 48
		1.5 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 33	6 945 34
			-	Yes	-	6 945 09	6 945 13
		-	-	Yes	-	6 945 26	-
3 m 3G 1.5 mm <sup>2</sup>	-	-	-	6 945 39	6 945 40		
	4	2 m 3G 1.5 mm <sup>2</sup>	-	Yes	-	6 945 05	-

1: Surge Protection Device  
2: Miniature Circuit Breaker

## Multi-outlet plugs and extensions

MULTI-OUTLET PLUGS									
Product	Nb of socket outlets		Socket outlet orientation	Rotating	USB	Colour			
	2P	2P+E				○ White/Light Grey	○ White/Dark Grey	● Black/Dark Grey	○ Alu finish/Dark Grey
	2	-	Side	-	Type-A + Type-C		6 945 01 (5 A) 0 494 01 (12 A)	-	-
	4	-		-	-	6 945 90 (10 A) 0 494 00 (16 A)	-	-	-
	-	2	Front	-	-	6 945 16	-	6 945 17	-
	-	3		-	-	6 945 18	-	6 945 19	-
	-	2	Side	Yes	Type-A + Type-C	-	6 945 22	-	6 945 24
	-	3		-	-	-	6 945 20	-	6 945 23
	-	3		Yes	-	-	6 945 21	-	-
MULTI-OUTLET EXTENSIONS FOR UNIVERSAL USE									
Product	Nb of 2P+E socket outlets	Cord	Colour						
			○ White/Light Grey	● Black/Dark Grey	○ White/Soft blue				
	3	Without cord	6 945 73	6 945 74	-				
		1.5 m 3G 1.5 mm <sup>2</sup>	6 945 49	6 945 50	6 945 51				
		3 m 3G 1.5 mm <sup>2</sup>	6 945 59	6 945 60	-				
		5 m 3G 1.5 mm <sup>2</sup>	6 945 67	6 945 68	-				
	4	Without cord	6 945 75	6 945 76	-				
		1.5 m 3G 1.5 mm <sup>2</sup>	6 945 52	6 945 53	6 945 54				
		3 m 3G 1.5 mm <sup>2</sup>	6 945 61	6 945 62	-				
		5 m 3G 1.5 mm <sup>2</sup>	6 945 69	6 945 70	-				
	5	Without cord	6 945 77	6 945 78	-				
		1.5 m 3G 1.5 mm <sup>2</sup>	6 945 55	6 945 56	-				
		3 m 3G 1.5 mm <sup>2</sup>	6 945 63	6 945 64	-				
		5 m 3G 1.5 mm <sup>2</sup>	6 945 71	-	-				
	6	Without cord	6 945 79	6 945 80	-				
		1.5 m 3G 1.5 mm <sup>2</sup>	6 945 57	6 945 58	-				
		3 m 3G 1.5 mm <sup>2</sup>	6 945 65	6 945 66	-				
		5 m 3G 1.5 mm <sup>2</sup>	-	6 945 72	-				

## Multifunction multi-outlet extensions



6 945 44



6 945 27



6 945 32

For indoor use only  
16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions without cord - with switch
		Equipped with: - flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body To be cabled with a 3G 1.5 mm <sup>2</sup> cord Can be fixed with screws (not supplied) or cable ties (not supplied)
5	6 945 43	<b>3 x 2P+E</b> ● White/Dark Grey
5	6 945 44	<b>4 x 2P+E</b> ● White/Dark Grey
5	6 945 45	● Black/Dark Grey
5	6 945 46	<b>5 x 2P+E</b> ● White/Dark Grey
5	6 945 47	<b>6 x 2P+E</b> ● White/Dark Grey
5	6 945 48	● Black/Dark Grey
		<b>Multi-outlet extensions with cord and switch</b>
		Equipped with: - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket) - 1 On/Off illuminated switch - rotating body Can be fixed with screws (not supplied) or cable ties (not supplied)
5	6 945 27	<b>3 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 28	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 35	<b>3 x 2P+E - 3 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 41	<b>3 x 2P+E - 5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 29	<b>4 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 30	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 36	<b>4 x 2P+E - 3 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 37	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 31	<b>5 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 32	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 38	<b>5 x 2P+E - 3 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 42	<b>5 x 2P+E - 5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>

## MULTI-OUTLET SOLUTIONS

# PLUG IN AS YOU WISH, ANYWHERE!

Whether you want to recharge devices or plug in items of equipment, our innovative and ingenious multi-outlet solutions will meet your needs efficiently, anywhere in your home or at work!



TV multi-outlet extension  
Cat.No 6 945 95



Angled multi-outlet extension with USB ports  
Cat.No 6 945 02



Charging station with wireless charger and USB ports  
Cat.No 6 945 00



Clip-on multi-outlet extension  
Cat.No 6 948 12



## Multifunction multi-outlet extensions (continued)



For indoor use only  
16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions with cord and switch (continued)
5	6 945 33	<b>6 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 34	
5	6 945 39	<b>6 x 2P+E - 3 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 40	

### Multi-outlet extensions with cord and SPD

Equipped with:  
 - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket)  
 - 1 On/Off illuminated switch  
 - rotating body  
 Can be fixed with screws (not supplied) or cable ties (not supplied)  
 Integrated surge protective device (SPD): protects electronic equipment against lightning strikes  
 Indicator signalling the surge protective device status:  
 - green LED: the multi-outlet extension is protected  
 - LED off: the multi-outlet extension is not protected but functional

5	6 945 07	<b>4 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 11	
5	6 945 09	<b>6 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 13	

### Multi-outlet extensions with cord, MCB and overload indicator

Equipped with:  
 - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket)  
 - 1 On/Off illuminated switch  
 - rotating body  
 Can be fixed with screws (not supplied) or cable ties (not supplied)  
 Resettable overload protection (MCB) with LED indicator:  
 - green LED: normal consumption  
 - red LED: near maximum charge  
 - LED off: power off due to an overload. To reset, unplug the device and press the reset button on the side of the multi-outlet extension


5	6 945 25	<b>4 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 26	<b>6 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup>

Pack	Cat.Nos	Multi-outlet extensions with cord, SPD and USB ports
5	6 945 08	<b>3 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 12	
5	6 945 10	<b>5 x 2P+E - 1.5 m cord</b> ● White/Dark Grey - 3G 1.5 mm <sup>2</sup> ● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
5	6 945 14	

Equipped with:  
 - flush socket outlets angled 45° (except for one angled 90° plugging in a bulky transformer without locking out another socket)  
 - 1 On/Off illuminated switch  
 - 2 x USB Type-A and USB Type-C ports, 3.0 A - 5.0 V - 15 W MAX. Used for recharging smartphones, tablets and other electronic devices  
 - rotating body  
 Can be fixed with screws (not supplied) or cable ties (not supplied)  
 Integrated surge protective device (SPD): protects electronic equipment against lightning strikes  
 Indicator signalling the surge protective device status:  
 - green LED: the multi-outlet extension is protected  
 - LED off: the multi-outlet extension is not protected but functional

### USB Type-C standardisation

USB Type-C: new miniaturised reversible version of the traditional USB connector (Type-A)



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors  
 7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola  
 Standardisation:  
 - simplifies connection for users  
 - optimises charging performance and ensures compatibility  
 Legrand's new multi-outlet extensions integrate USB Type-A and USB Type-C to cover any scenario depending on the device to be connected

## Multifunction multi-outlet extensions (continued)



6 945 05

For indoor use only  
16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Vertical multi-outlet extension with cord, switch and SPD
3	6 945 05	<p>Can be put on the floor to connect and protect all devices</p> <p>Equipped with:</p> <ul style="list-style-type: none"> <li>- 4 x 2P+E flush socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket)</li> <li>- 1 On/Off illuminated switch on top of the multi-outlet extension</li> <li>- 3G 1.5 mm<sup>2</sup> cord (length: 2 m)</li> <li>- rotating body</li> <li>- clip for cable management on top of the multi-outlet extension</li> </ul> <p>Integrated surge protective device (SPD): protects electronic equipment against lightning strikes</p> <p>Indicator signalling the surge protective device status:</p> <ul style="list-style-type: none"> <li>- green LED: the multi-outlet extension is protected</li> <li>- LED off: the multi-outlet extension is not protected but functional</li> </ul> <p>Can be fixed with screws (not supplied)</p> <p>● White/Dark Grey</p>

## MULTI-OUTLET SOLUTIONS

# INNOVATION, SAFETY & EASE, AT ALL TIMES



### REDESIGNED SOCKETS



With the Legrand Flush socket, you have a safe and attractive socket which prevents dust from accumulating. The socket recess only moves back when the plug is inserted.



### PROTECTION YOU CAN RELY ON



With surge-protected (SPD) or overload-protected (MCB) solutions, you can safely plug in your devices, day in, day out!



### MULTIPLE CHARGING SOLUTIONS



USB Type-A, USB Type-C or wireless: with Legrand solutions, you can choose one of a number of charging methods, for total flexibility! The advantage of a wireless charging station: no need to plug in.

## Multifunction multi-outlet extensions (continued)



6 945 00



6 945 06



6 945 95



6 945 02

For indoor use only

Pack	Cat.Nos	Multi-outlet extensions for dedicated spaces
		<b>Charging stations with wireless charger and USB ports - for bed corner and workstation</b> 10 A - 230 V - 2300 W MAX Compact charging stations with 5 ports equipped with: - 2 x 2P+E flush socket outlets - wireless charger for 10.0 W Qi-certified smartphones (with non-slip surface and charging indicator). Direct view on screen while charging - USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX - black 3G 1.5 mm <sup>2</sup> cord (length: 2 m)
3	6 945 00	● Taupe/Dark Grey
3	6 945 06	● White/Dark Grey
		<b>TV multi-outlet extensions with cord, switch and SPD</b> 16 A - 230 V - 3680 W MAX Special design for perfect integration and cable management in TV corner Equipped with: - 4 x 2P+E (16 A) and 4 x 2P socket outlets - 1 On/Off illuminated switch - 3G 1.5 mm <sup>2</sup> cord (length: 2 m) Integrated surge protective device (SPD): protects electronic equipment against lightning strikes Indicator signalling the surge protective device status: - green LED: the multi-outlet extension is protected - LED off: the multi-outlet extension is not protected but functional Aluminum (metal) cover allowing the installation of another device on top of the multi-outlet extension
3	6 945 95	● Black (2P socket outlets: 6 A)
3	6 945 15	● Black (2P socket outlets: 2.5 A)
		<b>Angled multi-outlet extensions</b> 16 A - 230 V - 3680 W MAX Adapted design for perfect integration in kitchen or workstation angle Equipped with: - flush socket outlets angled 45° - cable management at the back - removable part at the back to pass the cable through Solutions without cord: to be cabled with a 3G 1.5 mm <sup>2</sup> cord
5	6 945 02	○ 3 x 2P+E - White/Alu finish With 1 m white cord 3G 1.5 mm <sup>2</sup> Equipped with 2 USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX
5	6 945 04	○ 3 x 2P+E - White/Alu finish Without cord Equipped with 2 USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX
5	6 945 01	○ 4 x 2P+E - White With 1 m white cord 3G 1.5 mm <sup>2</sup>
5	6 945 03	○ 4 x 2P+E - White Without cord

## Multifunction multi-outlet extensions

### Wireless power charging

- Products certified Qi-WPC\*  
Low-emission technology compatible with the ICNIRP specifications concerning protecting people against electromagnetic fields  
This wireless technology makes it possible to do away with cords and connectors
- Global standard  $\Phi$   
Adopted by the car industry and CHRs (Cafés/Hotels/Restaurants)  
Incorporated in 100% of Qi-enabled smartphones  
Average charging time < 2 hrs

### Main compatible smartphones




See the full list on [www.wirelesspowerconsortium.com](http://www.wirelesspowerconsortium.com)

Brand	Range	Smartphone models
Apple	iPhone	12 / 11 / X / 8 / 8+
Samsung	Galaxy	S20 / S10 / S9 / S8 / S7 / S6 (Edge)
LG	G	V40 / V30 / G8 / G7 / G6 / G5 / G4 / G3
Sony	Xperia	Z4v / Z3v / XZ3 / XZ2 / DG 6703

### USB Type-C standardisation

USB Type-C: new miniaturised reversible version of the traditional USB connector (Type-A)



The European Commission and major smartphone manufacturers have signed an M.o.U (Memorandum of Understanding) aiming to standardise equipment and use of Type-C connectors  
7 leading manufacturers are signatories to the agreement guaranteeing compatibility of their smartphones with USB Type-C chargers: Apple, Samsung, Google, LG, Sony, Lenovo, Motorola  
Standardisation:  
- simplifies connection for users  
- optimises charging performance and ensures compatibility  
Legrand's new multi-outlet extensions integrate USB Type-A and USB Type-C to cover any scenario depending on the device to be connected

## Multifunction multi-outlet extensions (continued)



6 948 10



6 948 12

For indoor use only  
16 A - 230 V - 3680 W MAX

Pack	Cat.Nos	Multi-outlet extensions for dedicated spaces (continued)
1	6 948 10	<b>Multi-outlet extensions with tablet support</b> Equipped with: - 3 x 2P+E socket outlets - 2 x USB Type-A inputs (3.9 A Total) - 1 built-in non-slip tablet stand - 1 On/Off illuminated switch with resettable circuit breaker (16 A) - 3G 1.5 mm <sup>2</sup> cord (length 1.5 m) ○ White ● Black
1	6 948 11	
10	6 948 12	<b>Clip-on multi-outlet extension</b> Equipped with: - 4 x 2P+E socket outlets - 2 x USB Type-A ports (3,4 A Total) - 1 On/Off illuminated switch - rotating 3G 1.5 mm <sup>2</sup> cord (length 1.5m), can be turned by 90° To be clipped onto a table or a desk (maximum thickness: 63 mm) Allows you to hide power outlets under a desk while leaving USB charging modules accessible ● Black


## Multifunction multi-outlet extensions

### Clip-on multi-outlet extension Cat.No 6 948 12

#### Example of implementation



#### Dimensions (in mm)




### TV multi-outlet extension with cord, switch and surge protective device Cat.No 6 945 95

#### Example of implementation



#### Dimensions (in mm)



#### Opening system



# Multi-outlet plugs and extensions for universal use



6 945 91



6 945 16



6 945 20



6 945 24



6 945 77



6 945 51



6 945 53



6 945 57

For indoor use only

Pack	Cat.Nos	Multi-outlet plugs - 2P
10	6 945 90	To plug in a 2P+E wall-mounted socket outlet ○ White/Light Grey 10 A - 230 V - 2300 W MAX 4 x 2P 2.5 A side outlets
10	0 494 00	16 A - 230 V - 3680 W MAX 4 x 2P 6 A side outlets
		<b>Multi-outlet plugs - 2P - with USB chargers</b>
		To plug in a 2P+E wall-mounted socket outlet USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX Used for recharging smartphones, tablets and other electronic devices Equipped with a smartphone support
10	6 945 91	○ White/Dark Grey 5 A - 230 V - 1150 W MAX 2 x 2P 2.5 A side outlets
10	0 494 01	12 A - 230 V - 2760 W MAX 2 x 2P 6 A side outlets
		<b>Multi-outlet plugs - 2P+E</b>
		16 A - 230 V - 3680 W MAX
10	6 945 16	<b>2 x 2P+E front outlets</b> ○ White/Light Grey
10	6 945 17	● Black/Dark Grey
10	6 945 18	<b>3 x 2P+E front outlets</b> ○ White/Light Grey
10	6 945 19	● Black/Dark Grey
10	6 945 20	<b>3 x 2P+E side outlets</b> ○ White/Dark Grey
10	6 945 23	○ Alu finish/Dark Grey
10	6 945 21	<b>3 x 2P+E side outlets - rotating</b> ○ White/Dark Grey
10	6 945 22	<b>2 x 2P+E side outlets - rotating - USB ports</b> USB Type-A and USB Type-C ports: 3.0 A - 5.0 V - 15 W MAX ○ White/Dark Grey
10	6 945 24	○ Alu finish/Dark Grey
		<b>Multi-outlet extensions without cord</b>
		16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture To be cabled with a 3G 1.5 mm <sup>2</sup> cord
10	6 945 73	<b>3 x 2P+E</b> ○ White/Light Grey
10	6 945 74	● Black/Dark Grey
10	6 945 75	<b>4 x 2P+E</b> ○ White/Light Grey
10	6 945 76	● Black/Dark Grey
10	6 945 77	<b>5 x 2P+E</b> ○ White/Light Grey
10	6 945 78	● Black/Dark Grey
10	6 945 79	<b>6 x 2P+E</b> ○ White/Light Grey
10	6 945 80	● Black/Dark Grey

Pack	Cat.Nos	Multi-outlet extensions with cord
		16 A - 230 V - 3680 W MAX Equipped with socket outlets angled 45° (except for one angled 90° for plugging in a bulky transformer without locking out another socket) Extra-flat: can be slid underneath furniture
		<b>3 x 2P+E - 1.5 m cord</b>
10	6 945 49	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 50	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 51	○ White/Soft blue - 3G 1.5 mm <sup>2</sup>
		<b>3 x 2P+E - 3 m cord</b>
10	6 945 59	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 60	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>3 x 2P+E - 5 m cord</b>
10	6 945 67	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 68	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>4 x 2P+E - 1.5 m cord</b>
10	6 945 52	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 53	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 54	○ White/Soft blue - 3G 1.5 mm <sup>2</sup>
		<b>4 x 2P+E - 3 m cord</b>
10	6 945 61	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 62	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>4 x 2P+E - 5 m cord</b>
10	6 945 69	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 70	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>5 x 2P+E - 1.5 m cord</b>
10	6 945 55	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 56	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>5 x 2P+E - 3 m cord</b>
10	6 945 63	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 64	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>5 x 2P+E - 5 m cord</b>
10	6 945 71	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
		<b>6 x 2P+E - 1.5 m cord</b>
10	6 945 57	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 58	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>6 x 2P+E - 3 m cord</b>
10	6 945 65	○ White/Light Grey - 3G 1.5 mm <sup>2</sup>
10	6 945 66	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>
		<b>6 x 2P+E - 5 m cord</b>
10	6 945 72	● Black/Dark Grey - 3G 1.5 mm <sup>2</sup>



## FOLLOW US ALSO ON

@ legrand.com

 youtube.com/user/legrand

 facebook.com/Legrand

 twitter.com/Legrand

 pinterest.com/legrandgroup

 instagram.com/legrandnews



**Head office**  
and International Department  
87045 Limoges Cedex - France  
Tel. : + 33 (0) 5 55 06 87 87  
Fax: + 33 (0) 5 55 06 74 55