

KÄRCHER

**NO MATTER WHAT
YOUR CHALLENGE IS**

There's Kärcher for That

PROFESSIONAL | 2025-2026



90 Years Of Making A Difference

Since its beginning in 1935 the value-oriented family business Kärcher has developed into a worldwide brand, offering its customers three strong attributes: top performance, innovation and quality. Kärcher products have won more than 100 national and international prizes for exemplary design. In addition, more than 1,300 patents and utility models are evidence of the company's inventive spirit and passion for innovation. Today, Kärcher is the leading global provider of efficient, resource-saving cleaning systems, characterized by reliable, user-friendly products, and strong service. Kärcher opened its Indonesian subsidiary in 2014.

Sejak dibuka di tahun 1935, Kärcher yang merupakan bisnis keluarga, yang berorientasi pada nilai-nilai, telah berkembang menjadi merek internasional yang menawarkan 3 atribut penting kepada pelanggannya: kinerja terbaik, inovasi dan kualitas. Produk-produk Kärcher telah memenangkan lebih dari 100 penghargaan nasional dan internasional untuk desain produk. Di samping itu, lebih dari 1.300 paten dan model utilitas merupakan bukti semangat inventif dan inovatif kami. Saat ini, Kärcher merupakan penyedia produk pembersih global yang efisien dan hemat sumber daya, dengan karakteristik mudah digunakan dan servis yang baik. Di tahun 2014 Kärcher membuka cabang di Indonesia.



As for our commitment to the environment, we have been cleaning historical monuments and buildings for more than 40 years as part of our cultural sponsorship program. From Monument Nasional in Indonesia, to Mount Rushmore in United State and many others, we are happy to take on any challenge. We have made cleaning our business and at the same time, make our contribution towards preserving values for people worldwide.

Atas komitmen kami terhadap lingkungan, kami telah membersihkan berbagai monumen dan bangunan bersejarah selama lebih dari 30 tahun sebagai bagian dari program sponsor kebudayaan kami. Dari Monumen Nasional di Indonesia hingga Mount Rushmore di Amerika Serikat dan banyak lainnya, kami senang menghadapi tiap tantangan. Kebersihan telah menjadi bisnis kami dan disaat bersamaan, kami memberi kontribusi bagi kebudayaan nilai kemanusiaan secara global.

Kärcher makes a difference

Kärcher Industry Solutions

Finding the best solution for cleaning tasks is of growing importance for businesses of all kinds. This is why we have tailored our extensive range of products precisely to your requirements, reducing time, costs and resource consumption without compromising performance. We understand the demands of your business, whatever market sector you operate in.

Menemukan solusi terbaik untuk pekerjaan membersihkan adalah kebutuhan yang makin penting bagi segala jenis bisnis. Karena inilah kami merancang jajaran produk yang ekstensif secara tepat untuk kebutuhan Anda, mengurangi konsumsi waktu, biaya dan sumber daya tanpa mengurangi kinerja. kami memahami tuntutan bisnis Anda pada sektor pasar manapun Anda beroperasi.




Table of Contents | Daftar Isi

Cold Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi dengan Air Dingin</i>	4	Industrial Vacuum Cleaners <i>Pengisap kotoran untuk Industri</i>	14
Hot Water High Pressure Cleaners <i>Pembersih Bertekanan Tinggi dengan Air Panas</i>	6	Steam Cleaner & Steam Vacuum Cleaner <i>Pembersih Uap dan Pengisap-pembersih Uap</i>	16
Wet & Dry Vacuum Cleaners <i>Pengisap kotoran basah & kering</i>	7	Dry Ice Cleaning <i>Pembersihan dengan Biang Es</i>	16
Vacuum Cleaners <i>Pengisap kotoran kering</i>	8	Robot Cleaning <i>Pembersih dengan Robot</i>	17
Carpet Vacuum Cleaners <i>Pengisap kotoran untuk karpet</i>	9	Municipal Cleaning <i>Pembersih Perkotaan</i>	18
Carpet & Upholstery Cleaners <i>Pembersih karpet dan sofa</i>	9	Gantry Car Washes <i>Pencuci Mobil Gantry</i>	19
Carpet Cleaners & Carpet Extractors <i>Pembersih karpet dan ekstraktor karpet</i>	10	Manual Cleaning Equipment & Cleaning Agent <i>Pembersih Manual dan Cairan Pembersih</i>	19
Air Blower <i>Pengering karpet dan lantai</i>	10	Optional Accessories <i>Perlengkapan Tambahan</i>	20
Sweepers <i>Penyapu</i>	11	Kärcher Service <i>Layanan Purna-jual Kärcher</i>	21
Polisher & Scrubber Driers <i>Pengkilap & Penyikat Lantai</i>	12		

60 Hz machines are available upon demand for most products
Mesin 60 Hz tersedia berdasarkan permintaan untuk sebagian besar produk



Designed & engineered
by Kärcher in Germany

Cold Water High-Pressure Cleaners



  		 				
Benefits		Max. performance, autonomous with self-suction mode and suction-hose		Compact & portable, versatile horizontal & vertical operations. HD 5/15 C Plus incl. Dirt Blaster		Automatic pressure relief. Flexible for vertical and horizontal operation
Product (order n.)		HD 4/11 C Bp Pack (1.520-925.0)		HD 5/12 C HD 5/15 C Plus (1.520-900.0) (1.520-931.0)		HD 5/11 P (1.520-960.0)
Technical Data						
Class		Battery powered high-pressure cleaners		Compact		Portable
Power supply	Ph/V/Hz	2 x 7.5 Ah / 36 V Li-ion Battery		1 / 220-230 / 50		1 / 230 / 50
Opr. pressure	bar	110		120 150		110
Flow rate	l/h	320 - 400		500		490
Max. inlet temp.	°C	60		60		60
Power rating	kW	1.6		2.5 2.8		2.2
Dim. (LxWxH)	mm	400 x 456 x 960		380 x 360 x 930		351x 312x 904
Weight	kg	26.9		24.4 25.7		20.6

Benefits		Automatic pressure relief.. Up to 20% higher energy efficiency	4-pole low speed motor. Robust crankshaft pump with brass cylinder head	4-pole low-speed electric motor, robust crankshaft pump with brass cylinder head
Product (order n.)		HD 6/16-4 M Plus (1.524-933.0)	HD 7/11-4 M Classic (1.367-901.0)	HD 9/20-4 M Classic (1.367-903.0)
Technical Data				
Class		Middle	Middle	Middle
Power supply	Ph/V/Hz	1 / 230 / 50	1 / 216 - 244 / 50	3 / 376 - 424 / 50
Work. pressure	bar	160	50 - 110	70 - 200
Flow rate	l/h	600	450 - 700	500 - 900
Max. inlet temp.	°C	60	60	60
Power rating	kW	3.3	2.9	6.5
Dim. (LxWxH)	mm	400 x 455 x 700	740 x 528 x 952	740 x 528 x 952
Weight with acc.	kg	37	52	57



Benefits		Specialized for sanitary/hygiene/food industries, water inlet up to 800 C, grey non marking wheels	Upright-space-saving design, integrated detergent tank	New easy mobile cold water with combustion engine, robust crankshaft pump
Product (order n.)		HD 7/10 CXF (1.151-906.0)	HD 10/25-4 S Plus (1.286-960.0)	HD 6/15 G Classic (1.187-010.0)
Technical Data				
Class		Super	Super	Classic
Power supply	Ph/V/Hz	3 / 380-400 / 50	3 / 380-400 / 50	Gasoline/Petrol
Work. pressure	bar	10 - 100	30 - 250	150
Flow rate	l/h	250 - 700	500 - 1000	600
Max. inlet temp.	°C	80	60	60
Power rating	kW	4.5	9.2	4.1 (5.5 hp)
Dim. (LxWxH)	mm	360 × 400 × 935	560 × 500 × 1090	799 × 637 × 1097
Weight	kg	36.5	68.6	44.7



Benefits		High performance crankshaft pump.. Safe storage.	Very powerful against stubborn dirt, robust cage for safe crane-loading	Ultra high-pressure class, particularly ideal for construction, industrial & transport sectors
Product (order n.)		HD 13/35-4 Cage (1.367-154.0)	HD 9/50-4 (1.367-156.0)	HD 18/50-4 Cage Classic (1.367-160.0)
Technical Data				
Class			Ultra High Pressure Compact	
Power supply	Ph/V/Hz	3 / 400 / 50	3 / 380-400 / 50	3 / 380-415 / 50
Work. pressure	bar	100 - 350	150 - 500	max. 500
Flow rate	l/h	500 - 1300	500 - 900	1800
Max. inlet temp.	°C		60	60
Power rating	kW		15	30
Dim. (LxWxH)	mm		930 × 800 × 920	747 × 1317 × 1093
Weight	kg	160	190	307



Benefits		Economical diesel engine with electro start, automatic speed reduction with servo control	Explosion protection II 2 G c T3, 4-pole air-cooled electric motor
Product (order n.)		HD 9/23 De (1.187-907.0)	HD 10/16-4 Cage Ex (1.353-904.0)
Technical Data			
Class		Combustion Engine	Special
Power supply	Ph/V/Hz	Gasoline/Petrol	3 / 380-400 / 50
Work. pressure	bar	40-230	160
Flow rate	l/h	400 - 930	1000
Max. inlet temp.	°C	60	50
Power rating	kW	6.8 kW 9.3 hp	5.5
Dim. (LxWxH)	mm	870 × 725 × 1170	980 × 720 × 1100
Weight	kg	108	122.6

Hot Water High-Pressure Cleaners



Benefits		Ecoefficiency mode with intuitive single button selector switch	4-pole water cooled electric motor with economical Ecoefficiency mode
Product (order n.)		HDS 6/15 C (1.169-910.0)	HDS 8/18-4 C (1.174-918.0)
Technical Data			
Class		Compact	Compact
	Ph/V/Hz	1 / 230 / 50	3 / 400 / 50
Work. pressure	bar	30 - 150	30-180
Flow rate	l/h	260 - 560	300 - 800
Temperature	°C	max. 80	80 - 155
Power rating	kW	3.4	6
Dim. (LxWxH)	mm	1066 x 650 x 920	1066 x 650 x 920
Weight with acc.	kg	101,4	119.4



Benefits		Maximum efficiency with 3-piston axial pump. Water-cooled motor for long service life..	Dual-lance operation capability with optional accessories, 2 detergent tanks, ecoefficiency mode	Eco-environment friendly, without exhaust gases
Product (order n.)		HDS 10/21-4 M (1.071-939.0)	HDS 12/18-4 S (1.071-959.0)	HDS-E 8/16 -4 M 24 KW (1.030-904.0)
Technical Data				
Class		Middle	Super	Middle
Power supply	Ph/V/Hz	3 / 400 / 50	3 / 380-400 / 50	3 / 380-400 / 50
Opr. pressure	bar	30 - 210	30 - 180	30 - 160
Flow rate	l/h	500 - 1000	600 - 1200	300 - 760
Temperature	°C	80 - 155	80 - 155	45 / 85
Power rating	kW	8	8.4	29.5
Dim. (LxWxH)	mm	1330 x 750 x 1060	1330 x 750 x 1060	1330 x 750 x 1060
Weight	kg	160.2 (with accessories)	175.1	112



Benefits		Easy and intuitive operation. Suitable for continuous use (industrial or agriculture applications).	Maximum performance in the harshest conditions. Reduce fuel consumption by 20%.
Product (order n.)		HDS 10/21-4 ST GAS (1.251-903.0)	HDS 13/20-4 S (1.071-937.0)
Technical Data			
Class		Stationary	Super
Power supply	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50
Work. pressure	bar	210	30 - 200
Flow rate	l/h	500 - 1000	600 - 1300
Temperature	°C	30 - 98	80 - 155
Power rating	kW	8	9.5
Dim. (LxWxH)	mm	1142 x 578 x 790	1330 x 750 x 1060
Weight with acc.	kg	177	206

Wet & Dry Vacuum Cleaners



Benefits		Compact and versatile for locations without external power supply.	Compact with accessory storage & cable hook	Easy maintenance and strong suction power
Product (order n.)		NT 22/1 Ap Bp L (1.528-130.0)	NT 27/1 (1.428-500.0)	NT 30/1 Me Classic (1.428-569.0)
Technical Data				
Class		Ap	Standard	Classic
Air flow rate	l/s	57	67	59
Vacuum	mbar/kPa	152 / 15.2	200 / 20	227 / 22.7
Container	l	22	27	28
Max. power	W	575	1380	1500
Sound level	dB(A)	70	72	78
Dim. (LxWxH)	mm	401 x 372 x 499	420 x 420 x 525	380 x 365 x 640
Weight	kg	8.8	7.5	8




Benefits		Easy maintenance and strong suction power	Semi-automatic filter cleaning, flat pleated filter for longer durability	Wet and dry vacuum cleaner with tact filter cleaning system and anti static
Product (order n.)		NT 38/1 Me Classic (1.428-530.0)	NT 40/1 Ap L (1.148-321.0)	NT 40/1 Tact Te L (1.148-311.0)
Technical Data				
Class		Classic	Ap	TACT
Air flow rate	l/s	59	74	74
Vacuum	mbar/kPa	227 / 22.7	254 / 25.4	273 / 27.3
Container	l	38	40	40
Max. power	W	1500	1380	1380
Sound level	dB(A)	78	70	68
Dim. (LxWxH)	mm	375 x 360 x 735	525 x 370 x 630	560 x 370 x 655
Weight	kg	8.6	12.4	14.4



Benefits		All purpose brush, equipped with drain hose cartridge filter with enlarged filter area.	Very powerful 2-motors for demanding applications, stainless steel or durable plastic container.	Designed for industry, with larger capacity and powerful 2-motors vacuum power.
Product (order n.)		NT 48/1 (1.428-620.0)	NT 70/2 Me Classic NT 70/2 (1.667-224.0 1.667-269.0)	NT 90/2 Me (1.667-701.0)
Technical Data				
Class		Standard	Classic Standard	Classic
Air flow rate	l/s	67	2 x 56	53
Vacuum	mbar/kPa	200 / 20	208 / 20.8	225 / 22.5
Container	l	48	70	90
Max. power	W	1380	2300 2400	2300
Sound level	dB(A)	72	76 75	76
Dim. (LxWxH)	mm	490 x 390 x 780	560 x 502 x 832 720 x 510 x 975	560 x 502 x 977
Weight	kg	10.5	18 24.9	19

Dry Vacuum Cleaners




Benefits		Sustainable and innovative design containing 60% recycled materials. Low weight and low noise.	Ultra efficient HEPA 14 filter with bigger capacity.
Product (order n.)		T 11/1 Classic Re!Plast Anniversary Edition (1.527-214.0)	T 15/1 Adv HEPA (1.355-307.0)
Technical Data			
Category		Dry Vacuum Cleaner	Dry Vacuum Cleaner
Air flow rate	l/s	40	40
Vacuum	mbar/kPa	235 / 23,5	185 / 18
Container	l	11	15
Power	W	850	585 (max)
Sound level	dB(A)	61	52
Dim. (LxWxH)	mm	385 x 285 x 385	440 x 250 x 410
Weight	kg	3.8	6.4



Benefits		With ecoefficiency mode. Ideal for noise-sensitive areas.	Increases productivity and safety while working
Product (order n.)		T 10/1 Bp (1.527-352.0)	BVL 5/1 Bp (1.394-274.0)
Technical Data			
Category		Battery powered dry vacuum cleaner	Battery powered dry vacuum cleaner
Air flow rate	l/s	40	40
Vacuum	mbar/kPa	223 / 22	223 / 22,3
Container	l	10	5
Nominal power	W	500	500
Runtime	min.	max. 50 (eco) 22 (power)	max. 50 (eco) 30 (power)
Sound level	dB(A)	57	65
Dim. (LxWxH)	mm	440 x 250 x 355	220 x 320 x 510
Weight	kg	6.8	5

Carpet Vacuum Cleaners


Benefits		Daily carpet vacuum with extremely durable, anti-twist yellow highflex cable
Product (order n.)		CV 38/2 Adv (1.033-336.0)
Technical Data		
Category		Upright Brush Vacuum Cleaner
Air flow rate	l/s	48
Vacuum	mbar/kPa	250 / 25
Working width	mm	380
Container	l	5.5
Max. power	W	1050
Sound level	dB(A)	67
Dim. (LxWxH)	mm	351 × 391 × 1215
Weight	kg	9.5



Carpet and Upholstery Cleaners


Floor coverings, upholstered furniture, office chairs, passenger seats – the powerful, handy Kärcher spray extraction machines, clean all textile surfaces and loosen and remove dirt in a single step. With powerful suction turbines for unrivalled low residual moisture.

Pelapis lantai, furnitur berkain, kursi kantor, hingga kursi penumpang – mesin Kärcher spray extraction yang bertenaga dan praktis ini membersihkan semua permukaan tekstil, melepaskan dan menghilangkan kotoran dalam satu langkah. Dilengkapi turbin hisap yang kuat dengan kelembapan residu yang rendah tak tertandingi.



Benefits		Lighter but powerful entry-level for spot cleaning on carpets	Wide range of accessories for versatile applications, suitable for everyday use	The quietest in its class 66 dB(A), for larger carpets
Product (order n.)		Puzzi 8/1 C (with hand nozzle) (1.100-240.0)	Puzzi 10/1 + Hand (1.100-138.0)	Puzzi 30/4 (1.101-120.0)
Technical Data				
Category		Spray extraction machine	Spray extraction machine	Spray extraction machine
Area perform.	l/s	12 - 18	20 - 25	60 - 75
Power rating	mbar/kPa	max. 1380 (turbine) 40 (pump)	1250 (turbine) 80 (pump)	1200 (turbine) 70 (pump)
Air flow rate	l	71	54	74
Vacuum	W	270 / 27	220 / 22	254 / 25.4
Wtr. tank (f d)	dB(A)	8 7	10 9	30 15
Dim. (LxWxH)	mm	525 x 335 x 425	705 x 320 x 435	580 x 460 x 930
Weight	kg	8.6	10.7	26

Carpet Cleaners & Carpet Extractors



Benefits		Easy to use, sufficiently dry in 20 minutes with encapsulation technology	Compact carpet cleaner for fast and economical spray extraction; also ideal for spot and interim cleaning	For deep and intermediate carpet cleaning. Rotatable cleaning head
Product (order n.)		BRS 43/500 C (1.006-671.0)	BRC 30/15 C (230 V) (1.008-057.0)	BRC 40/22 C (1.008-062.0)
Technical Data				
Category		Intermediate carpet cleaner	Deep carpet cleaner	Carpet cleaner
Area perform.	m²/h	300 (interim iCapsol)	150 (deep cleaning)	500 / 900
Power rating	W	370 (brush motor)	1130 (turbine) 80 (brush motor)	1200 (turbine) 400 (brush motor)
Air flow rate	l/s	-	20	47
Vacuum	mbar/kPa	-	300 / 30	290 / 29
Wtr. tank (f d)	l	7.5 -	15 17	22 19
Spray pressure	bar	3.4	3.5	3.5
Spray rate	l/min	0.38	1	0.38
Dim. (LxWxH)	mm	400 × 460 × 1160	920 × 360 × 750	889 × 470 × 1118
Weight	kg	25	36	44.5

Air Blower

Benefits		High-performance blower enables quick drying after water damage
Product (order n.)		AB 45 (1.004-060.0)
Technical Data		
Category		Air blower
Air flow rate (level 1 2 3)	m3/min.	57 88 133
Blower speed (level 1 2 3)	rpm.	950 1150 1350
Power rating	W	700
Cord length	m	6.1
Dim. (LxWxH)	mm	405 x 475 x 475
Weight	kg	11.87



Sweepers

Benefits		Up to 60 minutes of continuous operation. Two-step HEPA filter system.
Product (order n.)		CVS 65/1 Bp (1.517-301.0)
Technical Data		
Category		Carpet vacuum sweeper
Drive Power		36 V Lithium-ion exchangeable battery
Area perform.	m²/h	1800 (theoretical)
Working width (side brushes)	mm	450 (0) 625 (1)
Waste Container	l	20
Dim. (LxWxH)	mm	980 x 675 x 1070
Weight	kg	36.9 (with accessories)
Area usage		indoor




Benefits		Adjustable sweeper roller and side brush. Space saving parking position.	Ideal for carpet and outdoor area	Emission-free battery powered with extra large working width.
Product (order n.)		KM 70/20 C (1.517-130.0)	KM 85/50 R Bp (1.351-126.0)	KM 100/120 R Bp Pack 4SB (1.280-173.0)
Technical Data				
Category		Walk-behind sweeper/vacuum sweeper	Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive Power		Manual	DC motor 1000 W	Electric 24 V 240 Ah battery
Area perform.	m²/h	2800 (max.)	with (side brushes): 5100 (1) 6300 (2)	13800
Working width (side brushes)	mm	480 (0) 700 (1)	615 (0) 850 (1) 1050 (2)	730 (0) 1000 (1) 1270 (2)
Waste Container	l	45	50	120
Dim. (LxWxH)	mm	1300 x 765 x 1035	1270 x 870 x 1170	1807 x 1224 x 1500
Weight	kg	21	252	985 (with accessories)
Area usage		indoor / outdoor	indoor / outdoor	indoor / outdoor



Benefits		Fully hydraulic, for tough jobs in the building material or metal-working industries, foundries and abrasive dirt-intensive sectors	Very large container for longer working sessions, comfortable operation and easy maneuverability in confined spaces.
Product (order n.)		KM 130/300 RI D (1.186-150.0)	KM 150/500 R D Classic (1.186-134.0)
Technical Data			
Category		Ride-on vacuum sweeper	Ride-on vacuum sweeper
Drive Power		4-stroke diesel engine / Yanmar 15.8 kW	4-stroke diesel engine / Yanmar 15.8 kW
Max area perf.	m²/h	w/ (side brushes): 13000 (1) 15500 (2)	w/ (side brushes): 18000 (1) 21600 (2)
Working width w/ side brushes	mm	1000 (0) 1300 (1) 1550 (2)	1200 (0) 1500 (1) 1800 (2)
Waste Container	l	300	500
Dim. (LxWxH)	mm	2082 x 1345 x 1469	2442 x 1570 x 1640
Weight	kg	940	1400
Area usage		outdoor	outdoor

Polisher & Scrubber Driers



Benefits		Lightweight, compact and more flexible	All purpose machine for hard floor cleaning, carpet shampooing, crystallization & sanding	With Ultra-high speed, polishes 30% faster than conventional machine
Product (order n.)		BD 17/5 C (1.737-107.0)	BDS 43/150 C Classic (1.291-247.0)	BDP 50/1500 C (1.291-141.0)
Technical Data				
Category		Hand Polisher	Single-disc machines	Polishing machine
Working width	mm	170 -	430 -	508 (pad) 560
Brush Vacuum				
Area perform.	m²/h	-	-	900 (theoretical)
Brush speed	rpm	470	150	1500
Power rating	W	150	1100	1100
Dim. (LxWxH)	mm	330 x 136 x 290	590 x 430 x 1180	760 x 550 x 1250
Weight	kg	5,9	43	34,5



Benefits			Ideal for shops, restaurants, supermarkets & sanitary area	Bi-directional brushing & low noise cleaning
Product (order n.)		BR 30/1 C Bp Pack 18/30 (1.783-050.0)	BR 30/4 C Adv (1.783-213.0)	BR 40/10 C (1.783-311.0)
Technical Data				
Category			Compact scrubber drier	Compact scrubber drier
Working width Brush Vacuum	mm	300	300 300	400 400
Area perform.	m²/h	1 0.7	200 (max.)	400 (max.)
Brush speed	rpm	up to 200 (theoretical)	1450	1100
Power rating	W	Removable lithium-ion (18 V/3 Ah)	820	2710
Wtr. tank (f d)	l	39 (80%) 65 (100%)	4 4	10 10
Dim. (LxWxH)	mm	340 x 305 x 1200	390 × 335 × 1180	520 × 470 × 380
Weight	kg	7.1	12.4	30



Benefits		On-board charger with a wide voltage range. Featuring ecoefficiency mode.	Entry level scrubber with high cleaning performance.	Entry level battery-powered scrubber
Product (order n.)		BD 35/15 C Classic Bp Pack (1.783-442.0)	BD 50/60 C Classic Ep (1.127-002.0)	BD 50/50 C Classic Bp (1.127-007.0)
Technical Data				
Category		Compact scrubber drier		
Working width Brush Vacuum	mm	350 470	510 840	510 850
Max. area perf.	m²/h	1400	2040	2000
Brush speed	rpm	180	180	
Power		12 V / 38 Ah battery	230 V/50 Hz, 1100 W (max.)	
Wtr. tank (f/d)	l	15 / 15	60 / 60	50 / 50
Dim. (LxWxH)	mm	830 x 500 x 680	1185 x 540 x 1000	
Weight	kg	54	57	63



Benefits		Battery-operated ride-on scrubber drier with disc brush	Big battery capacity; longer running time. Easy maintenance & ergonomic, designed for Asian market	Higher cleaning performance per charge. More safety features
Product (order n.)		BD 50/70 R Classic Bp Pack (1.161-076.0)	BD 75/120 R Classic Bp (1.161-431.0)	BD 90/160 R Classic Bp (1.246-041.0)
Technical Data				
Category		Ride-on scrubber drier		
Working width Brush Vacuum	mm	510 900	750 1030	900 1200
Max. area perf.	m²/h	2805 (theoretical)	4500 (theoretical)	5400 (theoretical)
Brush speed	rpm	180	-	-
Power rating	W	1400	2500	2800
Wtr. tank (f / d)	l	70 75	120 120	160 160
Dim. (LxWxH)	mm	1310 x 590 x 1060	1430 x 810 x 1650	1740 x 970 x 1440
Weight	kg	112	227 493 (w/ battery)	360 (empty)



Benefits		Agile, for angled cleaning areas. High performance squeegee and brush head.	Quick transportation operations. Wear-free Ec two turbines. Welded industrial squeegee.
Product (order n.)		B 110 R Classic Bp Pack +R75 (1.161-435.0)	B 260 RI Bp Pack Dose (1.480-254.0)
Technical Data			
Category		Ride-on/step-on scrubber drier	
Working width Brush/Vacuum	mm	750 950	100 / 114
Max. area perf.	m²/h	4500 (theoretical)	10000
Brush speed	rpm	1200	140
Battery	V/Ah	24 / 170	36 / 630
Wtr. tank (f / d)	l	110 110	260 260
Dim. (LxWxH)	mm	1635 x 975 x 1265	1950 x 1180 x 1570
Weight	kg	379	1380

Industrial Vacuum Cleaners

With wide options in power and container size, you will find the right machine for every industrial application in the Kärcher range of industrial vacuums. These powerful and reliable vacuum cleaners are ideal for non-stop operation. The machines are also available with dust explosion protection and hazardous dust class.

Dengan berbagai pilihan daya dan ukuran kontainer, kebutuhan akan mesin untuk aplikasi industri dapat terpenuhi oleh Kärcher. Pengisap kotoran yang kuat dan terpercaya ini cocok untuk operasional tanpa henti. Tersedia juga mesin untuk klasifikasi **dust explosion protection** dan klasifikasi **hazardous dust**.



Benefits		Reliable overfill protection, equipped with compact surface filter of dust class L	Entry-level, with semi automatic filter cleaning, ideal for production areas & machines cleaning
Product (order n.)		IVR-L 65/12-1 Tc (9.990-900.0)	IVC 60/24-2 Ap (1.576-104.0)
Technical Data			
Class		for liquids and solids	Compact
Supply voltage	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60
Power rating	kW	1.2	2.4
Air flow rate	l/s m³/h	72 / 260	2×74
Vacuum	mbar/kPa	235 / 23.5	254 / 25.4
Filter area	m²	0.25	0.95
Container	l	65	60
Dim. (LxWxH)	mm	718 x 532 x 1100	970 × 690 × 995
Weight	kg	40	60



Benefits		Durable, robust, compact and mobile, universal absorption of fine and coarse solid matter in industrial environments.	Suitable for combustible dust class H. Certified ATEX Zone 22 Acid resistant stainless steel.	Certified ATEX Zone 22
Product (order n.)		IVM 40/24-2 (9.989-906.0)	IVM 40/24-2 M ACD (9.990-760.0)	IVM 40/12-1 H Z22 (9.990-266.0)
Technical Data				
Class		Solids/dusts	Combustible dust	Dust Class H
Supply voltage	Ph/V/Hz	1 / 220-240 / 50-60	1 / 220-240 / 50-60	220-240 / 50-60
Power rating	kW	2.3	2.3	1.2
Air flow rate	l/s m³/h	106 381.6	106 382	43,8 158
Vacuum	mbar/kPa	225 / 22.5	225 / 22.5	249 / 24,9
Filter area	m²	1.6	1.5	1.6
Container	l	40	40	40
Dim. (LxWxH)	mm	645 x 655 x 1150	645 x 655 x 1150	645 x 655 x 1140
Weight	kg	35.7	35.7	51



Benefits		Dust Class M Maximum mobility on uneven floor	Dust Class M Suitable for oily and adhesive dust
Product (order n.)		IVS 100/75 M (1.573-822.0)	IVS 100/40-2 (1.573-622.0)
Technical Data			
Class		For solids/dusts	For solids/dusts
Supply voltage	Ph/V/Hz	3 / 400 / 50	3 / 400 / 50
Power rating	kW	7.5	4.2
Air flow rate	l/s m³/h	148 536	138 500
Vacuum	mbar/kPa	290 / 29	175 / 17.5
Filter area	m²	2,2	2,2
Container	l	100	100
Dim. (LxWxH)	mm	1202 x 686 x 1465	1202 x 686 x 1465
Weight	kg	165	142

Steam Cleaner & Steam Vacuum Cleaner

Our professional steam cleaner & steam vacuum cleaner clean reliably without the use of chemicals. These efficient machines are used in wet and hygiene areas, on all hard floors, glass and tiled surfaces, as well as fittings and, with the right accessories, textile surfaces.

Steam cleaner & steam vacuum cleaner profesional kami membersihkan dengan handal tanpa penggunaan zat kimia. Mesin-mesin yang efisien ini digunakan pada area basah dan berkebutuhan higienis, semua jenis lantai, kaca, permukaan berpola, berfurnitur dan dengan aksesoris yang tepat, pada permukaan tekstil.





Benefits		Continuous steaming with volume control and VapoHydro function for perfect cleaning result without chemicals	Removing excess water immediately during steaming. Extra cleaning programmes & accessory integration.
Product (order n.)		SG 4/4 (1.092-104.0)	SGV 8/5 (1.092-010.0)
Technical Data			
Category		Steam cleaner	Steam vacuum cleaner
Power rating	W	2300	3000
Tank capacity	l	4	5
Steam pressure	bar/MPa	4	8
Voltage	V	220 - 240	220 - 240
Weight	kg	8	40
Cable length	m	7.5	7.5
Dim. (LxWxH)	mm	475 x 320 x 275	640 x 495 x 965

Dry Ice Cleaning

The spray process with dry ice pellets is ideal for gentle cleaning of sensitive surfaces. This requires no cleaning agents or other additives and leaves no moisture or abrasive material residue.

Proses penyemprotan dengan biang es ideal untuk membersihkan dengan lembut permukaan yang sensitif. Proses ini tidak memerlukan bahan pembersih atau aditif lain dan tidak meninggalkan kelembapan atau residu material abrasif.



Benefits		Featuring nozzle case holder, ice emptying, retaining bracket and storage compartments.
Product (order n.)		IB 15/120 (1.574-104.0)
Technical Data		
Category		Dry Ice Blaster
Air pressure	bar/MPa	2 - 16 / 0,2 - 1,6
Air flow	m³/min	2 - 12
Dry ice capa. consum.	kg kg/h	40 30 - 120
Power rating	kW	0.6
Dim. (LxWxH)	mm	1000 x 800 x 1300
Weight	kg	91



Robot Cleaning

Kärcher Intelligent Robotic Application

KIRA represents a new product category with a constantly growing number of professional cleaning robots that can relieve cleaning staff of monotonous and time-consuming tasks, such as floor cleaning, leaving them to carry out more complex tasks in parallel. Intuitive to operate, our cleaning robots navigate and clean safely and reliably in a wide variety of environments thanks to powerful sensor technology and sophisticated software.

KIRA mewakili pengembangan kategori produk baru yaitu Robot Pembersih Professional, bertujuan untuk meringankan tugas staf kebersihan dari kegiatan yang monoton dan memakan waktu seperti membersihkan lantai, sehingga mereka dapat memiliki waktu yang lebih fleksibel untuk mengerjakan tugas kebersihan lain secara paralel. Intuitif dalam pengoperasiannya, robot pembersih kami menavigasi dan membersihkan dengan aman dan reliabel di berbagai lingkungan berkat teknologi sensor yang andal dan perangkat lunak yang canggih.



Benefits		Robust and reliable navigation. Safety-certified for high-traffic areas. Optional docking station.
Product (order n.)		KIRA B 50 (1.533-003.0)
Technical Data		
Category		Robotic scrubber dryer
Battery	V/Ah	24 / 160 (Li-ion, 2 pcs.)
Power rating	kW	1.6
Working width	mm	550 (brush) 750 (vacuuming)
Brush speed	rpm	1350
Wtr. tank (f/d)	l	55 / 55
Max. area perf.	m²/h	1835 - 2365 (theoretical)
Dim. (LxWxH)	mm	1100 x 750 x 1200
Weight	kg	225



Benefits		Compact design with very low ground clearance. Safety-certified for commercial operations
Product (order n.)		KIRA CV 50 Bp (1.454-500.0)
Technical Data		
Category		Robotic dry vacuum cleaner
Battery	V/Ah	36 V (2 pcs.)
Air flow rate	l/s	16
Vacuum	kPa	19.3
Container	l	4.5
Max. area perf.	m²/h	525
Sound level	dB(A)	57
Dim. (LxWxH)	mm	578 x 578 x 300
Weight	kg	15,1



Municipal Cleaning

Our municipal machines perform exceptionally well everywhere and at all times: on large surfaces as well as difficult areas. On roads and paths and in car parks, green areas and sports facilities. From spring cleaning, maintenance of green areas in summer and leaf season, right through to the winter service. Each municipal device has a wide range of attachment options that form an application-optimised solution in terms of performance, operability and cost-effectiveness. Climb aboard and put your faith in municipal equipment with a future.

Mesin-mesin **municipal** kami berkinerja sangat baik di mana pun dan setiap waktu: di permukaan yang luas maupun area yang sulit. Di jalan raya, jalur setapak, tempat parkir mobil, area hijau, dan fasilitas olahraga. Mulai dari pembersihan musim semi, pemeliharaan area hijau di musim panas dan musim gugur, hingga layanan di musim dingin. Setiap mesin **municipal** memiliki beragam pilihan perlengkapan yang membentuk solusi aplikasi-teroptimalisasi dalam hal kinerja, pengoperasian, dan efektivitas biaya. Gunakan dan percayakan pada mesin **municipal** bermasa depan.



Benefits		City sweeper for urban/suburban areas or industrial facilities with high cleaning requirements	Multifunctional carrier use, full suspension maximum variability	Integrated quick-change system. Lower fuel consumptions.
Product (order n.)		MCM 600 (1.999-052.0)	MC 150 (1.442-237.2)	MIC 35 (1.442-251.2)
Technical Data				
Category		Municipal sweeper	Municipal sweeper	Municipal implement carrier
Drive (type traction)		Diesel Two-wheel drive	Diesel All-wheel drive	Diesel All-wheel drive
Motor manufacturer		VM	Kubota	Yanmar
Emissions standard		Euro 6c	STAGE V	STAGE V
Driving speed	km/h	40	40	25
Working width (side brushes)	mm	2400 (2) 3550 (3)	2450 (2) 2660 (3)	
Container waste fr. water	l	6000 500	1500 195	
Total perm. weight	kg	13000	3500	2500
Dim. (LxWxH)	mm	5450 x 2155 x 2920	3412 x 1220 x 1979	3750 x 1075 x 1980

Gantry Car Washes

Satisfied customers are your success. Our gantry car washes facilitate economic cleaning, ensure efficient throughput rates and achieve an optimal result – for you and your customers.

Satisfied customers are your success. Our gantry car washes facilitate economic cleaning, ensure efficient throughput rates and achieve an optimal result – for you and your customers.









Benefits		Robust, long-life operation in compact design, more programs for optimum functionality.	Maximum efficiency and cost-effectiveness with distinctive design, advance technology.	Unique functions and design options. Perfect all-around drying.
Product (order n.) Technical Data*		CW 1 Klean!Fit (1.534-300.2)	CW 3 Klean!Star (1.534-100.2)	CW 5 Klean!Star iQ (1.534-100.2)
Wash height	mm	2300 / 2600 / 2900	2100 - 2900	
Drive through width at mirror height	mm	2500	2450 - 2600	
Fresh water connection volume	l/min	-	80	
Fresh water connection pressure	bar	-	4	
Power supply	V/Hz/Ph	400 / 50 / 3		

* For further information, please contact our Professional team at Karcher Indonesia.
Untuk informasi lebih lengkap, silahkan hubungi tim Profesional Karcher Indonesia.

Manual Cleaning Equipment & Cleaning Agent

Manual Cleaning Equipment			Part Number	Description
1		1. Premium microfiber cloth red	9.212-054.0	Highly effective reusable cloths with superb cleaning performance for manual cleaning of surfaces. Resistant and absorbing microfibre cloth, ideal for any type of dirt and surface. • Material : 80% PET / 20% PA • Washing temperature: max.90 °C • Quantity: 5 pcs. • Package weight: 0.2 kg • Dimensions (L×W): 400×400 mm
		2. Premium microfiber cloth blue	9.212-055.0	
3		3. Premium microfiber cloth yellow	9.212-056.0	
		4. Premium microfiber cloth green	9.212-057.0	
5		5. Mop Box blue 10 L	6.999-197.0	Rectangular bucket with handle, conceived to be used with 40-50 cm floor mops. Ideal for a traditional use.
		6. Mop Box red 10 L	6.999-198.0	
7		7. Trolley Classic II	6.999-217.0	Cleaning trolley equipped with a very robust yet ergonomic mop press, the cost-effective cleaning trolley is ideal for day-to-day maintenance cleaning. It includes two colour-coded 6-litre and 15-litre buckets as well as a generous waste disposal module for quick waste disposal. Four rotatable wheels ensure easy handling, while the painted steel frame ensures a long lifetime.
8		8. Nick star 30	9.212-023.0	Multipurpose trolley with professional jaw wringer, storage compartments and bag holder for waste collection. Ideal for cleaning medium-large areas where it is necessary to rinse the mop. Equipped with washing bucket, bag holder, 4 L buckets and 80 mm wheels.



Cleaning Agent			Part Number	Description
1		1. SanitPro WC and Deep Cleaner CA 10 C eco!perform, 5l	6.295-678.0	Ready-to-use toilet cleaning agent with viscous gel formula. pH: 1.8 5.3 kg.
		2. SurfacePro Surface Cleaner CA 30 C eco!perform, 5l	6.295-682.0	Highly concentrated, fast-drying and streak-free surface cleaner for manual maintenance cleaning. pH: 11.2 5 kg.
3		3. SurfacePro Glass Cleaner CA 40 R eco!perform, 5l	6.295-688.0	Ready-to-use, alcohol-based glass cleaner that dries quickly and streak-free. Also suitable for gentle cleaning of plastic surfaces. pH: 7 4.9 kg.
		4. FloorPro Cleaner CA 50 C eco!perform, 5l	6.296-054.0	Floor cleaner for manual application on all hard and flexible floors. Also suitable for high-gloss surfaces and furniture. pH: 8.1 5 kg
5		5. FloorPro Deep Cleaner, acidic RM 751, 10l	6.295-129.0	Acidic deep cleaner for manual and mechanical sanitary and building cleaning. Effectively removes limescale, calcareous deposits, rust, milkstone, urine scale and cement film. pH: 0.7 10.9 kg.
		6. FloorPro Intensive Deep Cleaner Extra RM 752, 10l	6.295-813.0	Highly alkaline industrial deep cleaner and coating remover for tackling the most stubborn oil, grease and mineral contamination, as well as coatings from alkali-resistant floors. pH: 13.2 11.5 kg.
7		7. FloorPro Tyre and Abrasion Marks Remover RM 776, 10l	6.295-545.0	Special cleaner for removing rubber abrasion marks and marks caused by forklift trucks. Even adhesive tape residues and heavy oil and soot contamination are effectively removed. pH: 13 10.6 kg.
		8. FloorPro Protect Dispersion Extra RM 782, 5l	6.295-816.0	Extra robust, high-gloss polymer coating with excellent coverage, adhesion, non-slip properties and abrasion resistance as well as increased resistance to alcohol and disinfectants. pH: 8.6 5.1 kg

Optional Accessories

Cold & Hot Water High Pressure Cleaner Accessories		Order Number	Description
1 	2 	1. FRV 30 (for cold water only) 2.642-999.0 2. FRV 30 ME (for hot water only) 2.642-911.0	Integrated, automatic dirty water suction, featuring non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1300 l/h / 60 °C. Stainless steel with integrated, automatic dirty water suction, featuring non-marking steering rollers and double ceramic bearing. Machine-specific nozzle kit must be ordered separately. Max. 250 bar / 1300 l/h / 85 °C.
3 	4 	3. Wet blasting attachment with flow control (no nozzle) 4.762-010.0 4. Hose solar 6.392-978.0	Adds abrasive to high-pressure jet. For removing paint, rust, scaling. Fits on spray lance in place of HP nozzle. With flow control. Flexible hose with rubber outer covering suitable for use with iSolar TL 7. Easily extending and retracting of the telescopic lance.
5 	6 	5. Drive for roller brush 500 4.762-584.0 6. Roller brush 500 medium 4.762-624.0	Hydraulic drive for rotating roller brushes. For cleaning façades or solar power installations. Installation on spray lance or telescopic lance. Medium-hard brush attachment for use with hydraulic drive (4.762-584.0). Suitable for sensitive façades, foils and fabrics. Easy and safe quick-change system.
7 	8 	7. Y distributor 4.405-048.0 8. Jet pipe flexible 6.394-654.0	Offers the option to connect two spray units per machine by installing on the high pressure outlet. For continuous adjustment of the spray lance angle between 20-140°, to clean hard-to-reach places.
9 	10 	9. Telescopic spray lance 6.394-690.0 10. Adapter M 22 Swivel 4.424-004.0	Extendable from 1.8 to 5.4 m to clean hard-to-reach places. With integrated HP trigger gun, M 22 × 1.5 connector and rotary coupling. Connector for nozzles M 18 × 1.5. For extension of HP hoses with swivel connection or for operation of the telescopic lance with HP hose with swivel connection.
11 	12 	11. Restrainer belt for telescopic jet pipe 6.373-987.0 12. PressurePro Machine Protector RM 110, 1 L 6.295-971.0	Strap for telescopic spray pipe. Calcification protection for hot water high-pressure cleaners.
13 	14 	13. PressurePro Machine Protector RM 110, 10 L 6.295-303.0 14. PressurePro Machine Protector RM 110, 20 L 6.295-488.0	This new formula offers improved protection from lime deposits in heater coil systems (up to 150°C) as well as integrated corrosion protection for all HDS machine components that come into contact with water.
Dry and Carpet Vacuum Cleaner Accessories		Order Number	Description
1 	2 	1. Upholstery nozzle TURBO 2.860-113.0 2. Floor tool TURBO DN 35/32 2.860-114.0	Upholstery nozzle, plastic, with reduction bushing ID 35/32. Floor tool for carpet cleaning.
3 	4 	3. Fleece filter bags, three-ply 6.904-305.0 4. Fleece filter bags, three-ply 6.904-315.0	Fleece filter bag, tear-resistant, dust class M, for CV 38/2 10 pcs. Fleece filter bag, tear-resistant, dust class M, for T 12/1 10 pcs.
5 	6 	5. Fleece filter bags, three-ply 6.904-335.0 6. Fleece filter bags, three-ply 6.907-017.0	Fleece filter bag, tear-resistant, dust class M, for BV 5/1 10 pcs. Fleece filter bag, tear-resistant, dust class M, for T 15/1 10 pcs.
7 		7. Paper filter bags, two-ply 8.621-509.0	Two-ply, for low-dust disposal, for CV 66/2
Wet & Dry Vacuum Cleaner Accessories		Order Number	Description
1 	2 	1. Drilling dust tool 2.679-000.0 2. Wide nozzle NT 55/1 Tact 4.130-401.0	Drill dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher. Metal, height-adjustable, with brush strip set 6.906-751.0 and rubber strip set 6.906-750.0 for NT 55/1 Tact and NT 611 Eco.
3 		3. Baking oven kit ID 35 2.640-341.0	Special tools for bakeries, can be combined with NT 35/1 Ap or NT 55/1 Tact.

Carpet Cleaner & Spray Extraction Cleaner Accessories			Order Number	Description
1		1. Upholstery tool	4.130-001.0	Upholstery nozzle, 110 mm.
	2 	2. Hand nozzle DN 38	4.130-163.0	Stainless steel with transparent nozzle, ID 38. For cleaning upholstery or small surfaces that cannot be reached with the floor nozzle.
3		3. Spray extraction hose ID 38, 4m	4.440-644.0	Complete, metal coupling. Floor tool


Scrubber & Polisher Accessories		Order Number	Description	
		1. Microfiber pad	6.905-526.0	Excellent cleaning power. Also effectively cleans fine stoneware tiles.
1	2	2. Disk brush 430 mm, Red	6.369-895.0	Medium hardness scrubbing brush.
		3. Disk brush 430, blue-white	6.369-896.0	Medium-soft hardness shampooing brush.
3	4	4. Disk brush 430 mm, black	6.369-898.0	Hard scrubbing brush, GRIT
		5. Pad drive board 430 mm	6.369-899.0	For low speed pad.
5	6	6. FloorPro High Gloss Crystallising Agent, powder RM 775, 5 kg	6.295-117.0	Treating and hardening marble & terrazzo floors. After crystallisation, the floor has an attractive high gloss & is harder and more resistant to wear.
		7. FloorPro Intensive Deep Cleaner Extra RM 752, 10 L	6.295-813.0	Extra powerful deep cleaning agent for removal of stubborn dirt and coatings of alkali-resistant floors. Removes even the most stubborn oil, grease & mineral stains.
7.				

Industrial Vacuum Cleaner Accessories			Order Number	Description
 1	 2,3	1. Standard kit solids/dusts DN 40	9.989-659.0	For textile and Insulating material, food & pharmaceutical industry, apparatus engineering & warehouse cleaning.
		2. Vacuum kit DN 51	2.641-177.0	
		3. Vacuum kitDN 61 for lighter-duty application	2.641-175.0	
 4	 5	4. Standard kit liquids/swarf DN 50	9.989-658.0	Comprehensive accessory kit for liquid and swarf vacuum. Suitable for cutting industry (cleaning of machine tools – metal splinters and KSS).
		5. Standard kit liquids/swarf DN 40	9.989-657.0	
 6		6. Adapter accessories	9.989-604.0 9.977-772.0 9.989-690.0 9.989-712.0 9.989-713.0 9.981-231.0	Multipurpose adapter for different size of industrial vacuum suction kit.

Kärcher Service

Our skilled service team provide personalised support over the entire service life of your Kärcher machine. Wherever you need us, we or one of our service partners will be there to assist you on-site.

Tim ahli kami menghadirkan dukungan secara personal selama masa penggunaan mesin Kärcher Anda. Dimana Anda membutuhkan, kami atau rekan servis kami akan hadir untuk membantu Anda.



Service Training

Thanks to our comprehensive training system, our service engineers and those of our service partners are trained using the latest teaching methods. Specialist knowledge is acquired through technical as well as electronic training. A wide range of practical exercises ensure that the service engineers are ideally prepared for working in the field.

Dengan sistem pelatihan kami yang komprehensif, teknisi kami dan rekan servis kami terlatih menggunakan metode pembelajaran terkini. Pengetahuan spesialis diperoleh melalui pelatihan teknis maupun elektronik. Banyaknya jenis latihan terapan memastikan para teknisi secara ideal siap bekerja di lapangan.

Service Contract Packages

The Kärcher Service Contract packages combine accumulated technical expertise and in-depth application knowledge to yield optimal solutions. Each service package is precisely tailored to a defined need. The scope of services ranges from inspection as part of mandatory safety testing, to maintenance at date due, to the flat-rate Full Service. In addition to the service packages, add-on services such as battery, maintenance or the delivery of consumables are possible.

Paket-paket kontrak servis Kärcher menggabungkan keahlian teknis dan pengetahuan aplikasi yang mendalam untuk menghasilkan solusi optimal. Tiap paket servis dirancang untuk kebutuhan tertentu. Cakupan servis meliputi pengecekan sebagai bagian dari kelaikan unit, perawatan berkala, hingga Full Service dengan flat-rate, Layanan tambahan seperti baterai, perawatan atau pengiriman perlengkapan merupakan pilihan yang tersedia..

Kärcher Service Package	Kärcher Full Service	Kärcher Maintain	Kärcher Inspect
Safety inspection including certificate & inspection plate	■	■	■
inspection	■	■	■
Travel expenses*	■	■	■
Labor costs*	■	■	■
Adjustment of the operating hours within runtime is possible	■	■	■
Preventive replacement of defined wear parts in accordance with the manufacturer's maintenance plan	■	■	
Spare parts & wear parts included (except batteries & consumables such as brushes, roller brushes, suction lips, cleaning agents, etc.)	■		
Functional guarantee - continuous preservation of function*	■		
Consumables included (brushes, roller brushes, suction lips, cleaning agents, etc.)	□	□	□
Battery (maintenance, replacement, repair)	□	□	□

* Does not apply in case of customer fault, improper use, use of force, force majeure, erroneous operation, etc.

Please contact us for more information:

KÄRCHER CENTER INDONESIA
Foresta Business Loft 3 Unit 8-9
Jl. BSD Boulevard Utara
BSD City, Tangerang 15331

www.Kaercher.com/id
 021 - 8065 7600
 info.id@karcher.com
 0815 8111 505 (business chat)
 Karcher Indonesia
 karcher_indonesia
 Kaercher Indonesia

Dealer info: